

# Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 1/2/14

Address: Cedar Dr @ US 6

Incident #: 14ISPC000033

Waterloo IN

County: DEKALB

46793

## Type of Laboratory Seizure (check one)

- ☒ Operational Lab  
☐ Chemical/Glassware/Equipment (only)  
☐ Dumpsite (only)

## Seizure Location (check all that apply)

- ☐ Residence  
☐ Outbuilding  
☒ Vehicle  
☐ Hotel/Motel  
☐ Open – No Structure  
☐ Other: \_\_\_\_\_

## Items Found: Location (bedroom, kitchen, open air, etc)

(check all that apply)

- ☒ One Pot or Birch Reaction(s): Sleeper berth  
☐ Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_  
☐ Hydrochloric Acid Gas Generator(s): \_\_\_\_\_  
☐ Flammable Solvents: \_\_\_\_\_  
☐ Water Reactive Metal (Lithium): \_\_\_\_\_  
☐ Anhydrous Ammonia: \_\_\_\_\_  
☐ Corrosive Acid: \_\_\_\_\_  
☐ Corrosive Base: \_\_\_\_\_  
☒ Other (item and location): blister packs, foil boat, sleeper

## Vehicle Information:

Owner: Evans Equipt Co  
VIN: 2HSCHAPRX6C352639  
Year: 2006

Make: Int  
Model: N/A

## Child under age 18 discovered (check appropriate)

- ☐ Yes \_\_\_\_\_ (number present)  
☒ No  
☐ Children not present but evidence they reside or visit often

Living conditions of home: ☐ clean ☒ disarray  
☐ unclean

Estimated length of time manufacturing had been occurring: Weeks

Additional Information: \_\_\_\_\_

## This report has been faxed\* or emailed to the following agencies that serve the location:

Fire Department City, Township or County Waterloo FD Fax: emailed  
Health Department County: Dekalb County Health Dept Fax: emailed  
Department of Child Services Hotline: [dcshotlinereports@dcs.in.gov](mailto:dcshotlinereports@dcs.in.gov) Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact  
Investigating Officer: Tpr C Davis 8322 Phone 260-432-8661

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.